

# Appendix A

## Wildlife Assessment Tools

---

### ***Interactive Biodiversity Information System***

IBIS is an informational resource developed by the Northwest Habitat Institute (NHI) to promote the conservation of Northwest fish, wildlife, and their habitats through education and the distribution of timely, peer-reviewed scientific data.

IBIS contains extensive information about Pacific Northwest fish, wildlife, and their habitats, but more noteworthy, IBIS attempts to reveal and analyze the relationships among these species and their habitats. NHI hopes to make the IBIS web site a place where students, scientists, resource managers or any other interested user can discover and analyze these relationships without having to purchase special software (such as geographic information systems) or hassle with the integration of disparate data sets. IBIS will, however, provide downloadable data for users who desire to perform more advanced analyses or to integrate their own data sets with IBIS data. Finally, NHI sees IBIS as not only a fish, wildlife, and habitat information distribution system but also as a peer-review system for species data. We acknowledge that in a system as extensive as IBIS, there are going to be errors as well as disagreement among scientists regarding the attributes of species and their relationships. NHI encourages IBIS users to provide feedback so we may correct errors and discuss discrepancies.

The IBIS web site is in the early stages of development, however, NHI staff, with the support of many project partners, has been developing the data for over five years. The IBIS database was initially developed by NHI for Oregon and Washington during the Wildlife-Habitat Types in Oregon and Washington project. IBIS data is currently being refined and extended to include all of Idaho, Oregon, Washington, and the Columbia River Basin portions of Montana, Nevada, Utah and Wyoming. IBIS will eventually include species range maps, wildlife-habitat maps, extensive species-habitat data queries, and interactive wildlife-habitat mapping applications allowing dynamic spatial queries for the entire Pacific Northwest as previously defined.

Internet Access:

The IBIS Internet Home Page can be accessed via the World Wide Web at:

<http://www.nwhi.org/ibis/home/ibis.asp>

Questions about IBIS may be directed to:

The Northwest Habitat Institute

P.O. Box 855

Corvallis, OR 97339

Phone:(541)753-2199

Fax:(541)753-2440

[habitat@nwhi.org](mailto:habitat@nwhi.org)

## ***Washington Priority Habitats and Species List***

The Priority Habitats and Species (PHS) List is a catalog of those species and habitat types identified by the Washington Department of Fish and Wildlife (WDFW) as priorities for management and preservation. Because information on fish, wildlife, and their habitats is dynamic, the PHS List is updated periodically.

The PHS List is a catalog of habitats and species considered to be priorities for conservation and management. Priority species require protective measures for their perpetuation due to their population status, sensitivity to habitat alteration, and/or recreational, commercial, or tribal importance. Priority species include State Endangered, Threatened, Sensitive, and Candidate species; animal aggregations considered vulnerable; and those species of recreational, commercial, or tribal importance that are vulnerable. Priority habitats are those habitat types or elements with unique or significant value to a diverse assemblage of species. A Priority habitat may consist of a unique vegetation type or dominant plant species, a described successional stage, or a specific structural element.

There are 18 habitat types, 140 vertebrate species, 28 invertebrate species, and 14 species groups currently on the PHS List. These constitute about 16 percent of Washington's approximately 1,000 vertebrate species and a fraction of the state's invertebrate fauna.

Mapping of priority habitats and species was initiated in 1990 and includes about two-thirds of Washington's 43 million acres. The remaining third generally involves federal and tribal lands. Mapping consists of recording locational and descriptive data in a Geographic Information System (GIS). These GIS databases represent WDFW's best knowledge of fish and wildlife resources and occurrences. It is important to note, however, that priority species or priority habitats may occur in areas not currently known to WDFW biologists or in areas for which comprehensive surveys have not been conducted. Site-specific surveys may be necessary to rule out the presence of priority habitats or species on individual sites.

Included in the PHS system of databases are WDFW's PHS Points and Polygon Databases, StreamNet, and the Wildlife Heritage Database. Other information sources include the Department of Natural Resources' Aquatic Lands Division database on kelp beds and the U.S. Fish and Wildlife Service's information on the National Wetlands Inventory (NWI).

Questions and requests for additional PHS information may be directed to:

Priority Habitats and Species  
WDFW Habitat Program  
600 Capitol Way N  
Olympia WA 98501-1091

Internet Access:

The PHS Internet Home Page can be accessed via the World Wide Web at:

[www.wa.gov/wdfw/hab/phspage.htm](http://www.wa.gov/wdfw/hab/phspage.htm)

For information on rare plants and plant communities, contact:

Washington Department of Natural Resources

Natural Heritage Program

P.O. Box 47016

Olympia, WA 98504-7016

(360) 902-1667

[www.wa.gov/dnr/htdocs/fr/nhp](http://www.wa.gov/dnr/htdocs/fr/nhp)

## ***Washington GAP Analysis Project***

The Gap Analysis Program (GAP) is a nation-wide program currently administered by the Biological Resources Division of the US Geological Survey (BRD-USGS; formerly the National Biological Service [NBS]). The overall goal of Gap Analysis is to identify elements of biodiversity that lack adequate representation in the nation's network of reserves (i.e., areas managed primarily for the protection of biodiversity). Gap Analysis is a coarse-filter approach to biodiversity protection. It provides an overview of the distribution and conservation status of several components of biodiversity, with particular emphasis on vegetation and terrestrial vertebrates. Digital map overlays in a Geographic Information System (GIS) are used to identify vegetation types, individual species, and species-rich areas that are unrepresented or underrepresented in existing biodiversity management areas. Gap Analysis functions as a preliminary step to more detailed studies needed to establish actual boundaries for potential additions to the existing network of reserves.

The primary filter in Gap Analysis is vegetation type (defined by the Washington Gap Analysis Project as the composite of actual vegetation, vegetation zone, and Ecoprovince). Vegetation types are mapped and their conservation status evaluated based on representation on biodiversity management areas, conversion to human-dominated landscapes, and spatial context. Vegetation is used as the primary filter in Gap Analysis because vegetation patterns are determinants of overall biodiversity patterns (Levin 1981, Noss 1990, Franklin 1993). It is impractical to map the distributions of all plants and animals, but Gap Analysis makes the assumption that if all vegetation types are adequately represented in biodiversity management areas, then most plant and animal species will also be adequately represented. The second major Gap Analysis filter is composed of information on the distribution of individual species. This filter can be used to identify individual species that lack adequate protection and, when individual species maps are overlaid, areas of high species richness. In most states, including Washington, vertebrates are the only taxa mapped because there is relatively little information available for other taxa, and because vertebrates currently command the most attention in conservation issues.

The following are general limitations of Gap Analysis; specific limitations for particular datasets are described in the appropriate sections:

Gap Analysis data are derived from remote sensing and modeling to make general assessments about conservation status. Any decisions based on the data must be supported by ground-truthing and more detailed analyses.

Gap Analysis is not a substitute for the listing of threatened and endangered species and associated recovery efforts. A primary argument in favor of Gap Analysis is that it is proactive in recognizing areas of high biodiversity value for the long-term maintenance of populations of native species and natural ecosystems before individual species and plant communities become threatened with extinction. A goal of Gap Analysis is to reduce the rate at which species require listing as threatened or endangered.

The static nature of the Gap Analysis data limits their utility in conservation risk assessment. Our database provides a snapshot of a region in which land cover and land ownership are dynamic and where trend data would be especially useful.

Gap Analysis is not a substitute for a thorough national biological inventory. As a response to rapid habitat loss, Gap Analysis is intended to provide a quick assessment of the distribution of vegetation and associated species before they are lost and to provide focus and direction for local, regional, and national efforts to maintain biodiversity. The process of improving knowledge in systematics, ecology, and distribution of species is lengthy and expensive. That process must be continued and expedited in order to provide the detailed information needed for a comprehensive assessment of the nation's biodiversity.

Gap Analysis is a coarse-filter approach. The network of Conservation Data Centers (CDC) and Natural Heritage Programs established cooperatively by The Nature Conservancy and various state agencies maintain detailed databases on the locations of rare elements of biodiversity. Conservation of such elements is best accomplished through the fine-filter approach of the above organizations. It is not the role of Gap to duplicate or disseminate Natural Heritage Program or CDC Element Occurrence Records. Users interested in more specific information about the location, status, and ecology of populations of such species are directed to their state Natural Heritage Program or CDC.

Internet Access:

The Washington GAP Analysis Internet Home Page can be accessed via the World Wide Web at: [http://www.fish.washington.edu/naturemapping/wagap/public\\_html/index.html](http://www.fish.washington.edu/naturemapping/wagap/public_html/index.html)

Questions about the Washington GAP Analysis Project may be directed to:

Washington Cooperative Fish and Wildlife Research Unit  
University of Washington Box 355020  
Seattle, WA 98195-5020  
(206)543-6475

## ***Partners in Flight***

Partners in Flight was launched in 1990 in response to growing concerns about declines in the populations of many land bird species, and in order to emphasize the conservation of birds not covered by existing conservation initiatives. The initial focus was on Neotropical migrants, species that breed in the Nearctic (North America) and winter in the Neotropics (Central and South America), but the focus has spread to include most landbirds and other species requiring terrestrial habitats. The central premise of Partners in Flight (PIF) has been that the resources of public and private organizations in North and South America must be combined, coordinated, and increased in order to achieve success in conserving bird populations in this hemisphere. Partners in Flight is a cooperative effort involving partnerships among federal, state and local government agencies, philanthropic foundations, professional organizations, conservation groups, industry, the academic community, and private individuals. All Partners in Flight meetings at all levels are open to anyone interested in bird conservation and we eagerly seek your contribution.

Partners in Flight's goal is to focus resources on the improvement of monitoring and inventory, research, management, and education programs involving birds and their habitats. The PIF strategy is to stimulate cooperative public and private sector efforts in North America and the Neotropics to meet these goals.

### **Bird Conservation Planning Information**

One of the primary activities being conducted by Partners in Flight - U.S. is the development of bird conservation plans for the entire continental United States.

### **The Flight Plan**

The guiding principles for PIF bird conservation planning can be found in the Partners in Flight bird conservation strategy, The Flight Plan. It is composed of four parts:

- (1) setting priorities
- (2) establishing objectives
- (3) conservation action
- (4) evaluation.

### **Physiographic Areas**

The spatial unit chosen by Partners in Flight for planning purposes is the physiographic area. There are 58 physiographic areas wholly or partially contained within the contiguous United States and several others wholly or partially in Alaska. Partners in Flight bird conservation plans in the West use state boundaries as their first sorting unit for planning, with each plan internally arranged by physiographic area or habitat type.

### **Integrated Bird Conservation**

A common spatial language can greatly enhance the potential for communication among conservation initiatives. Under the auspices of the North American Bird Conservation Initiative (NABCI), Partners in Flight worked with the North American Waterfowl Management Plan, the United States Shorebird Conservation Plan, and the North American Waterbird Conservation

Plan, as well as with counterparts in Mexico and Canada, to develop a standard map of planning regions to be shared by all initiatives. These Bird Conservation Regions are intended to serve as planning, implementation, and evaluation units for integrated bird conservation for the entire continent. Future revisions of PIF Bird Conservation Plans will begin to utilize Bird Conservation Regions as the planning units, facilitating integration with planning efforts of the other initiatives.

#### Species Assessment

An important component in The PIF Flight Plan is the identification of priority species. PIF recognized that existing means of setting conservation priorities did not capture the complexities and needs of birds. The PIF Species Assessment process uses the best of traditional methods modified by our knowledge of bird biology to create a scientifically credible means of prioritizing birds and their habitat. It is a dynamic method that uses several criteria to rank a species' vulnerability. Numerical scores are given for each criterion, with higher scores reflecting higher vulnerability. The most vulnerable species are those with declining population trends, limited geographic ranges, and/or deteriorating habitats.

#### PIF Watch List

The Partners in Flight Watch List was developed using the Species Assessment to highlight those birds of the continental United States, not already listed under the Endangered Species Act, that most warrant conservation attention. There is no single reason why all of these birds are on the list. Some are relatively common but undergoing steep population declines; others are rare but actually increasing in numbers. The Watch List is not intended to drive local conservation agendas, which should be based on priorities identified within each physiographic area.

#### Species Account Resources

Species accounts that synthesize scientific literature on the life histories and effects of management practices on particular bird species are available from a variety of sources.

#### Bird Conservation Plans Summary Document

The development of Bird Conservation Plans is a complicated process. More detailed information about the PIF Bird Conservation Planning Process and PIF Bird Conservation Plans is provided in the recent PIF publication - Partners in Flight: Conservation of the Land Birds of the United States.

#### Internet Access:

The Partners in Flight Internet Home Page can be accessed via the World Wide Web at: <http://www.partnersinflight.org/>

## ***National Wetland Inventory***

The National Wetlands Inventory (NWI) of the U.S. Fish and Wildlife Service produces information on the characteristics, extent, and status of the Nation's wetlands and deepwater habitats. The National Wetlands Inventory Center information is used by Federal, State, and local agencies, academic institutions, U.S. Congress, and the private sector. The NWIC has mapped 90 percent of the lower 48 states, and 34 percent of Alaska. About 44 percent of the lower 48 states and 13 percent of Alaska are digitized. Congressional mandates require the NWIC to produce status and trends reports to Congress at ten-year intervals. In addition to status and trends reports, the NWIC has produced over 130 publications, including manuals, plant and hydric soils lists, field guides, posters, wall size resource maps, atlases, state reports, and numerous articles published in professional journals.

The NWI National Center in St. Petersburg, Florida, includes a state-of-the-art computer operation which is responsible for constructing the wetlands layer of the National Spatial Data Infrastructure. Digitized wetlands data can be integrated with other layers of the NSDI such as natural resources and cultural and physical features, leading to production of selected color and customized maps of the information from wetland maps, and the transfer of digital (computer-readable) data to users and researchers world-wide. Dozens of organizations, including Federal, State, county agencies, and private sector organizations such as Ducks Unlimited, have supported conversion of wetland maps into digital data for computer use. Statewide databases have been built for 9 States and initiated in 5 other States. Digitized wetland data are also available for portions of 37 other States. Once a digital database is constructed, users can obtain the data at no cost over the Internet, or through the U.S. Geological Survey for the cost of reproduction.

NWI maintains a MAPS database of metadata containing production information, history, and availability of all maps and digital wetlands data produced by NWI. This database is available over the Internet.

The Emergency Wetlands Resources Act requires that NWI archive and disseminate wetlands maps and digitized data as it becomes available. The process prescribed by Office of Management and Budget (OMB) Circular A-16, "Coordination of Surveying, Mapping, and Related Spatial Data", provides an avenue for increased NWI coordination activities with other Federal agencies to reduce waste in government programs. As chair of the Federal Geographic Data Committee's Wetlands Subcommittee, the NWI Project Leader is responsible for promoting the development, sharing, and dissemination of wetlands related spatial data. The Secretary of the Interior chairs the Federal Geographic Data Committee. NWI continues to coordinate mapping activities under 36 cooperative agreements or memoranda of understanding. NWI is involved in training and providing technical assistance to the public and other agencies.

NWI maps and digital data are distributed widely throughout the country and the world. NWI has distributed over 1.7 million maps nationally since they were first introduced. Map distribution is accomplished through Cooperator-Run Distribution centers.

Users of NWI maps and digital data are as varied as are the uses. Maps are used by all levels of government, academia, Congress, private consultants, land developers, and conservation organizations. The public makes extensive use of NWI maps in a myriad of applications including planning for watershed and drinking water supply protection; siting of transportation corridors; construction of solid waste facilities; and siting of schools and other municipal buildings. Resource managers in the Service and the States are provided with maps which are essential for effective habitat management and acquisition of important wetland areas needed to perpetuate migratory bird populations as called for in the North American Waterfowl and Wetlands Management Plan; for fisheries restoration; floodplain planning; and endangered species recovery plans. Agencies from the Department of Agriculture use the maps as a major tool in the identification of wetlands for the administration of the Swampbuster provisions of the 1985 and 1990 Farm Bills. Regulatory agencies use the maps to help in advanced wetland identification procedures, and to determine wetland values and mitigation requirements. Private sector planners use the maps to determine location and nature of wetlands to aid in framing alternative plans to meet regulatory requirements. The maps are instrumental in preventing problems from developing and in providing facts that allow sound business decisions to be made quickly, accurately, and efficiently. Good planning protects the habitat value of wetlands for wildlife, preserves water quality, provides flood protection, and enhances ground water recharge, among many other wetland values.

Additional sources of data are maintained by the Service to complement the information available from the maps themselves. The Service maintains a National List of Vascular Plant Species that Occur in Wetlands. This list is referenced in the Federal Manual for Identifying and Delineating Jurisdictional Wetlands, and in the Natural Resources Conservation Service's procedures to identify wetlands for the Swampbuster provision of the Farm Bill. The recent report on wetlands by the National Academy of Sciences found the National List to be scientifically sound and recommended that the Service continue development of the list. The Service has developed a protocol to allow other agencies and private individuals to submit additions, deletions, or changes to the list. The National List and Regional Lists are available over the Internet through the NWI Homepage.

NWI digital data have been available over the Internet since 1994. In the first year alone 93,000 data files were distributed through anonymous file transfer protocol (FTP) access to wetland maps digital line graph (DLG) data. To date, over 250,000 electronic copies of wetland maps are in the hands of resource managers and the general public. One-third of the digital wetlands files downloaded off Internet went to government agencies at Federal, State, Regional, and local levels. Other users include commercial enterprises, environmental organizations, universities, and the military. Users from 25 countries from Estonia to New Zealand to Chile obtained NWI maps from the Internet. This excellent partnership provides information to any government, private, or commercial entity that requires assistance to address issues throughout the world.

The National Wetlands Inventory Internet Home Page can be accessed via the World Wide Web at: <http://wetlands.fws.gov/>